

# SCSI/Fibre Channel - 6-ft. SCSI Cable HD68M to centronic 50M Double Shielded

MODEL NUMBER: \$432-006



### **Highlights**

- Premium double-shielded cable
- 34 twisted-pair conductors

# **System Requirements**

 Any external device or SCSI controller card requiring a HD68 or C50 interface

## **Package Includes**

 6-ft. SCSI cable HD68M to Centronic 50M double shielded

#### **Description**

Multi-platform SCSI III to I external peripheral cable HD68M/C50M. This 6ft cable is designed to connect two SCSI III (fast and wide) or SCSI I devices together. Manufactured using double shielded 34 twisted pair high impedance cable. Constructed with low-capacitance, impedance matched, 28 AWG, stranded, tinned copper cable with insulated in polypropylene. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

#### **Features**

- Backwards compatibility with previous SCSI generations
- Double shielded (foil and braid)
- 34 twisted pair conductors
- All Tripp Lite SCSI products, regardless of the SCSI generation, meet the latest specifications of ANSI
- Tripp Lite offers a complete line of internal and external solutions for SCSI/RAID and fibre channel ranging from the very latest Ultra 320 to legacy SCSI-1 and every combination in between
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

# **Specifications**

OVERVIEW	
UPC Code	037332014184
CONNECTIONS	
Side A - Connector 1	HD68 (MALE)
Side B - Connector 1	CENTRONICS 50 (MALE)
PHYSICAL	
Cable Length (ft.)	6



Cable Length (m)	1.83
Shipping Dimensions (hwd / in.)	11.75 x 7.00 x 0.75
Shipping Dimensions (hwd / cm)	29.84 x 17.78 x 1.90
Shipping Weight (lbs.)	0.83
Shipping Weight (kg)	0.38
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	Lifetime limited warranty

1000 Eaton Boulevard Cleveland, OH 44122 United States https://tripplite.eaton.com © 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark. All other trademarks are the property of their respective owners.