# **Owner's Manual**

# USB 3.1 Gen 1 USB-C<sup>™</sup> to USB-A Hub with Charging

#### Models: U460-004-4A-C, U460-004-4AB-C

USB Type-C and USB-C are trademarks of USB Implementers Forum

Este guía esta disponible en español en la página de Tripp Lite: tripplite.com/support

Ce guide est disponible en français sur le site Web de Tripp Lite : tripplite.com/support

Русскоязычная версия настоящего краткого руководства представлена на веб-сайте компании Tripp Lite по адресу: tripplite.com

#### WARRANTY REGISTRATION

Register your product today and be automatically entered to win an ISOBAR<sup>®</sup> surge protector in our monthly drawing!

tripplite.com/warranty



1111 W. 35th Street, Chicago, IL 60609 USA tripplite.com/support

Copyright © 2020 Tripp Lite. All trademarks are the sole property of their respective owners.

## Package Includes

- U460-004-4A-C (White) or, U460-004-4AB-C (Black)
- Owner's Manual

#### **Optional Accessories**

- U322-Series USB 3.0 A/B Device Cables
- U326-Series USB 3.0 Micro-B Device Cables
- U420-003 USB 3.1 Gen 1 USB-C Male/Male Cable – 3 ft.

#### **Product Features**

- Portable design with built-in cable is perfect for travel and stores easily into a laptop bag
- USB-A ports support data transfer rates up to 5 Gbps and are compatible with previous USB generations
- Dedicated 5V/1.5A USB port provides fast charging power to mobile devices
- USB-C charging port supports power input up to 20V 3A (60W)
- Plug-and-play no software or drivers required

### Installation

- 1. Connect the unit's USB Type-C connector to the USB-C port on your laptop, tablet or personal electronic device.
- 2. Connect up to four USB devices to the unit's USB-A ports.
- **3.** Charge your device by connecting the unit's USB-C port to your device's USB charger.

## Specifications

Input Connectors	
USB	USB-C (Male)
Charging	USB-C (Female)
Output Connectors	
USB-A	USB-A (Female) x4
Environmental	
Operating Temperature	32 to 113°F (0 to 45°C)
Operating Humidity	10% to 90% RH, Non-Condensing
Storage Temperature	14 to 158°F (-10 to 70°C)
Storage Humidity	10% to 90% RH, Non-Condensing
Power Requirements	
USB-C Charging Port	Supports up to 20V 3A (60W) Input

### Warranty and Product Registration

#### 3-YEAR LIMITED WARRANTY

TIRPP LTE warrants its products to be free from defects in materials and workmanship for a period of three (3) years from the due of Initial purchase. TIRPP LTE's obligation under this warranty is limited to repairing or replacing (at its sole option) any such defective products. To obtain service under this warranty, you must obtain a Returned Metarial Authoration (RMA) number from TIRPP LTE or an authoratood TIRPP LTE service center. Products must be returned to TIRIPP LTE or an authoratood TIRPP LTE service center with transportation outrages pregular dama to be accompanied by a birdf description of the problem encounteed and proof of date and place of purchase. This warranty does not apply to equipment, which has been damaged by accident, TIRPP LTE MAKES NO WARRANTES, EXPRESS OR MINELD, NCLUDING WARRANTES OF MERCHANTABILITY AND FITNESS FOR A BATRICLULAR PURCHSE.

Some states do not permit limitation or exclusion of implied warranties; therefore, the adversaid limitation(s) or exclusion(s) may not paphy to the purchasen CDEPT A SPROVIDE ABOVE, IN NO EVENT VILL ITAPP LITE BE LIABLE FOR DIRECT, NORRECT, SPECAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARRING OUT OF THE USE OF THIS FROUCT, EVENT A VOIDE OF THE POSSIBILITY OF SUCH DAMAGES, Specifically, TIPP LITE is not liable for any costs, such as lost profils or revenue, loss of equipment, loss of use of equipment, loss of software, loss of data, costs dissubities, caines by thit gathers, or otherwise.

#### PRODUCT REGISTRATION

Visit tripplite.com/warranty today to register your new Tripp Lite product. You'll be automatically entered into a drawing for a chance to win a FREE Tripp Lite product!\*

\* No purchase necessary. Void where prohibited. Some restrictions apply. See website for details.

#### FCC Notice, Class B

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Case B digital device, pursuant to part 15 of the FCO Rules. These limits are designed to provide reascoale potention against harmful interference in a residential instalation. This equipment generates, uses and can radiate radio frequency energy, and, if not installed call used in accordance with the instructions, may case harmful interference to radio communicators. However, there is no guarantee that interference will not occur in a particular installation. This equipment does case harmful interference to hand or tetrision necetion, which can be determined by turning the equipment of and on, the user is encouraged to try to concet the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- · Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- · Consult the dealer or an experienced radio/TV technician for help.

Any changes or modifications to this equipment not expressly approved by Tripp Lite could void the user's authority to operate this equipment.

Use of this equipment in life support applications where failure of this equipment can reasonably be expected to cause the failure of the life support equipment or to significantly affect its safety or effectiveness is not recommended.

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.



1111 W. 35th Street, Chicago, IL 60609 USA tripplite.com/support

20-09-164 93-3563 RevD

4